

Honda Motorcycle and Scooter India Pvt. Ltd.

Registered Office: Commercial Complex II, Sector - 49-50, Golf Course Extension Road, Gurugram - 122018 (Haryana), India; Website: www.honda2wheelersindia.com Customer Care: customercare@honda2wheelersindia.com

## A QUIET REVOLUTION

Dealer Stamp:



# Introducing

### Change the game

For about two decades, Activa has been changing the game in Indian scootering. With the latest technological innovation, Activa 6G changes the world of scootering all over again. It is equipped with the new eSP technology along with incredible new features like the revolutionary silent start, telescopic suspension, double lid external fuel fill, Front 90/90-12 Tubeless Tyre and 10% more mileage. In short, with the all new Activa 6G and its **BS-VI** engine, Honda scores a magnificent, game changing 6!

# Telescopic Suspension

Front 90/90-12




Hit it out of the park with the globally acclaimed technology that helps in silent start, reduces friction and increases mileage by 10%<sup>^</sup>.



Every uneven path will feel as flat as a batting pitch with Activa 6G's bigger front wheel.

Tubeless Tyre











### \*Technical Specifications

BODY DIMENSIONS		
Length	1833 mm	
Width	697 mm	
Height	1156 mm	
Wheel Base	1260 mm	
Ground Clearance	171 mm	7
Seat Length	692 mm	
Kerb Weight	107 kg	à
Fuel Tank Capacity	5.3 L	

	TINES & DIVANES	MONEY CONTRACTOR
Š	Tyre Size (Front)	90/90-12 54J
	Tyre Size (Rear)	90/100-10 53J
	Tyre Type (Front)	Tubeless
	Tyre Type (Rear)	Tubeless
	Brake Type & Size (Front)	Drum - 130 mm
5	Brake Tyne & Size (Rear)	Drum - 130 mm

TRANSMISSION	
Clutch Type	Automatio

	ENGINE	ATT DESCRIPTION OF THE PROPERTY OF
	Туре	Fan Cooled, 4 Stroke, SI Engine
	Displacement	109.51 cc
	Max Net Power	5.73 kW @ 8000 rpm
	Max Net Torque	8.79 Nm @ 5250 rpm
	Bore	47.0 mm
	Stroke	63.1 mm
	Fuel System	PGM-Fi
N.	Compression Ratio	10.0±0.2
	Air Filter Type	Viscous Paper Filter
	Starting Method	Kick/Self
	CONTRACTOR OF THE PARTY OF THE	A CONTRACTOR OF THE PARTY OF TH

FRAME & SUSPENSION	
Frame Type	Under Bone
Front	Telescopic
Rear	3-Step Adjustable Spring Loaded Hydraulic

ELECTRICALS	
Battery	3.0 Ah
Headlamp	LED

























er Honda Shield Products\*\*
ual Maintenance Contract
d Side Assistance







• †The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • Activa 6G meets Bharat Stage VI norms • Product shown in the picture may vary from actual product available in the market • Accessories shown in the picture are not part of standard equipment • The technical specifications mentioned are for Deluxe variant • ^Mileage has increased by 10% for Activa 6G BS-VI Deluxe variant as compared to the Activa 5G BS-IV Deluxe variant • All features may not be part of all variants • \*\*Conditions apply.